

Profile Wireless is the compact all-in-one microphone system for freelance creators and videographers. It includes a two-channel 2.4 GHz receiver, two clip-on microphones, and versatile mounting and connection accessories housed in an ultra-portable charging bar that doubles as a handheld interview mic.

### **FEATURES**

- All-in-one: includes 2-channel 2.4 GHz receiver, 2 clip-on microphones, accessories, charging bar, and carrying pouch
- Quick and easy set up no app required
- Ultra-portable charging bar stores components and doubles as handheld mic
- Signature Sennheiser sound for superior audio quality and connectivity over 2.4 GHz
- Long-lasting battery life provides up to 7 hours of runtime
- 2-channel 2.4 GHz system allows for simultaneous recording of two sources
- Versatile capabilities: receiver and clip-on microphones connect to camera, computer, phone, or to use as a desktop mic
- 16 GB memory in each clip-on mic for up to 30 hours of internal recording; start/stop recording locally via clipon mic or remotely via receiver
- Safety Channel Mode outputs backup audio at lower volume to help protect against clipping
- Activate Backup Recording Mode to automatically turn on internal recording if wireless signal becomes weak
- Includes cold shoe mounting adaptor, USB-C and Lightning connector, threaded mounting sockets
- Pre-paired clip-on microphones automatically connect to receiver, no configuration required
- Lockable external 3.5 mm TRS connector on each microphone for secure connection to optional Sennheiser lavalier mics
- Dedicated headphone output for easy audio monitoring
- Includes microphone mounting clips and magnets for attachment to clothing

- OLED receiver display includes gyro sensor that automatically orients display
- German-engineered with durable build quality

### **DELIVERY INCLUDES**

Profile Wireless 2-Channel Set (Art. no. 700266)

- Multi-Function Charging Case
- Small Two-Channel Receiver
- 2x Clip-on Mic Transmitter
- Adapter: USB-C / Lightning / Cold Shoe
- 2x small Mounting Magnets
- 2x Microphone Windscreen
- Charging Bar Windscreen
- 3.5 mm TRS Coiled Cable without Lock
- USB-C to USB-C Cable
- Carrying Pouch
- User documentation: Quick Guide, Safety Guide, Compliance Sheet

## SPECIFICATIONS

### System

RF-Link	2400-2480 MHz
Audio frequency response	60-20.000 Hz 110-20.000 Hz (with active Low-Cut filter)
Audio THD	< 1.5 %
Signal to Noise Ratio (SNR)	typ. 78.5 dB (A)
Link disrance (LoS)	≤ 245 m
Link disrance (Bodyblocking)	≤ 150 m
System latency	< 8 ms
Operating temperature	-10 °C - +45 °C
Charging temperature	0 °C - +45 °C
Relative humidity	25-95 % (non-condensing)

Transmitter (TX)	
Transducer principle	condenser
Pick-up pattern	omni-directional
Max. SPL at 1 kHz	113 dB SPL
Transmit power (radiated)	< 20 dBm EIRP
Runtime	≤ 7 h (recording with transmitting) ≤ 14 h (recording without transmitting)
Charging time (0-100%)	< 1.5 h
Battery capacity	280 mAh / 1036 mWh
Dimensions	42 x 33 x 21 mm (incl. Clip)
Weight	27 g

### **Receiver (RX)**

Transmit power (radiated)	< 20 dBm EIRP
Camera output	min. 1 k $\Omega$ Impedance
Digital output	USB-C Audio Klasse 2.0 / 48 kHz / 24 Bit
Headphone output	25 mW (min. 32 Ω Impedance )
Runtime	< 7 h
Charging time (0-100%)	< 2 h
Battery capacity	350 mAh / 1295 mWh
Dimensions	45 x 42 x 19 mm
Weight	30 g (0.07 lbs)

## Charging Bar (CB)


Power supply (USB-C)	USB-C 5 V, 3 A max.
Charging time (0-100%)	< 3 h
Battery capacity	2000 mAh / 7400 mWh
Dimensions	152 x 41 x 55 mm
Weight	198 g/0.44 lbs (290 g/0.64 lbs) (incl. all devices)

### **ACCESSORIES**


Profile Wireless Charging Bar
Profile Wireless Receiver
Profile Wireless Transmitter
Profile Wireless USB-C ADPT
Profile Wireless Lightning ADPT
Profile Wireless Cold Shoe
Profile Wireless Clip Magnet
Profile Wireless TX Windscreen
Profile Wireless CB Windscreen
CL 35 TRS w/o Lock
Profile Wireless Pouch

**Multi-Function Charging Case** Art. no. 700267 Small Two-Channel Receiver Art. no. 700269 Clip-on Mic Transmitter Art. no. 700268 **USB-C** Adapter Art. no. 700275 Lightning Adapter Art. no. 700273 Art. no. 700274 Cold Shoe Adapter Art. no. 700270 Small Mounting Magnet Microphone Windscreen Art. no. 700271 Charging Bar Windscreen Art. no. 700481 3.5 mm TRS Coiled Cable without Lock Art. no. 700272 **Carrying Pouch** Art. no. 700276

## FREQUENCY RESPONSE




## **POLAR PATTERN**





## DIMENSIONS


**Charging Bar** 





## Receiver














## Transmitter

